

OR Fixing the Feline Housing Crisis: How Shelter Housing Can Make Cats Sick - And What You Can Do About It!!



"Room for recovery" **The state of the stat

		Pinterest		
	What's our three to most the braining mo- what we	Cat Housing th of abother cann't liam are some beauti	ng units and basic bousing care been a	
	(W) Date Station	Diff. Street	# tilesen.	Et pine
and the same that it is a same to the same that it is a same	por host see deal of visual 5 if and host. The set is string in the sublisher point set is string in the sublisher point see and is string in a clear of being in subset from put in point in the wall calls well a writer quantiting from on the passion.	Names y description about the date and reads. The first on the First of the date and the second of the date of the date and the second of the date of the date and the second of the date of the date of the date of the date of the date of the date of the second of the date of the date of the date of the date of the date of the date of the date of the date of the date of the dat	Phase generation ministrat or, though gift for our or in hundred to fifther our or in hundred or fifther our or in hundred or fifther are some to be an error or fifther are some to be an error or fifther are on the some to be a some to be an error or fifther are on the some to be a some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some or fifther are some to be a some to be a some to be a some or fifther are some to be a some to be a some to be a some or fifther are some to be a some to be a some to be a some or fifther are some to be a some to be a some to be a some to be a some or fifther are some to be a some to be a some to be a some to be a some or fifther are some to be a some	The second section of the
	(State) to on	Lineare in com-	Special and	through the appropries. alterned to the appropries.

The Five Freedoms

- Freedom from Hunger and Thirst by ready access to fresh water and diet to maintain health and vigor.
- Freedom from Discomfort by providing an appropriate environment including shelter and a comfortable resting area
- Freedom from Pain, Injury or Disease by prevention or rapid diagnosis and treatment.
- Freedom to Express Normal Behavior by providing sufficient space, proper facilities and company of the animal's own kind.
- Freedom from Fear and Distress by ensuring conditions and treatment which avoid mental suffering.

Stress reduction



Natural behavior





Enrichment



Explore a safe environment




Company of others




Freedom from pain, injury, or disease









What really matters?

- · Space quantity
- Space qualitySeparation for rest, food, elimination
- Enrichment
- Hiding places
- Elevation
- Limits on stressors
- Light
- Light cycles
- Predator / prey relationships

- Flexibility of space
- Cleaning
- Isolation / separation for sick animals
- Temperature
- Air quality
- Fresh air
- Noise
- Activity
- Safety

Appearances?



- Matters to adopters and funders
- Matters to animals
- Double points if beautiful appearances can also be functional



Planning for cleaning

- Double-sided runs with guillotine doors for dogs
- Double-sided cages for cats
- In the meantime, spot cleaning for cats





Spot cleaning

- Goal is to keep space pleasant for the animal with minimal disruption
- · Commonly confused
- No spraying
- Leave bedding and other items in place whenever possible
- Special considerations for cats in small cages



Programmatic effects



- Walking programs
- Tricks training
- · Feeding programs
- Reading
- Play and enrichment programs

7

Space quantity

Space quantity



- Freedom to Express Normal Behavior by providing sufficient space, proper facilities and company of the animal's own kind.
- Freedom from Fear and Distress by ensuring conditions and treatment which avoid mental suffering.

Primary Enclosure: Size

Normal postural adjustments

- Turn freely
- Stand easily
- SitStretch and extend their limbs
- Move their head, sit, and stand without ears touching the top of the enclosure
- Hold tail erect
- Posture comfortably for eating drinking, urination, and defecation



Environmental and Group Health Risk Factors for Feline Respiratory Disease in Animal Shelters





49 questions including cage size, material and number, hiding place, handling, infectious disease control, vaccination, feeding, timing of S/N, air quality, natural light, dog exposure

After all that, what mattered most?



Greater than 9 square feet of floor space but not 6-8 compared to < 6
Limited movement in first 7 days All large cages were compartmentalized

10/25/2012

Allow human interaction




No hermetically sealed cats, please!

Don't fear the adopters!

- Think infectious dose
- Who is really the biggest risk for transmission?



Elimination, feeding and resting areas



Primary enclosure: Layout



Separation




- What we love
- Two room sized compartments
- Bedroom bathroom
 suite
- Wheels to move for cleaning or rearranging

Housing unit options on the market









Opportunities for visual concealment





"Hiding was negatively correlated with cortisol concentration and...may be an important behavior for coping with uncontrollable and unpredictable captive environments."

Carlstead K, Brown JL, Strawn W. Behavioral and physiological correlates of stress in laboratory cats. *Appl. Anim. Behav. Sci.* 1993;38:143-158.

Hiding places





Expanded opportunities





1	2
	.o

Hiding boxes



Group housing

Freedom from Pain, Injury or Disease - by prevention or rapid diagnosis and treatment.


Freedom to Express Normal Behavior - by providing sufficient space, proper facilities - <u>and</u> <u>company of the animal's own kind</u>.

Friends with benefits




- Always balance risks of exposure with benefits of socialization
- Monitoring considerations

10/25/2012







Separation / Isolation

- What kind of separation?
- Transmission type?
- · Species differences
- How is transmission reduced?
- Separation alone is worth doing even if isolation cannot be achieved

Space flexibility

Holding

Adoption


Temperature



- Monitor individually to ensure comfort
- Ensure they can adequately maintain their body temperature
 Special considerations for babies
- Necessary measures must be taken to ensure animal comfort and safety

Air quality Minimize irritants Spot clean, no spraying Reduce dust and debris in the air Use fans after cleaning Open doors and windows Utilize outdoor space whenever possible Ventilate! Don't hang your hopes on air filters

Ventilation *Lago, A., McGuirk, S.M., Bennett, T.B., Cook, N.B., and K.V. Nordlund. 2006. Calf respiratory disease and pen microenvironments in naturally ventilated calf barns in winter. J Dairy Sci 89: 4014-4025.



Fresh air





Indoor / outdoor housing units

Enrichment...

- Windows
- Bird feeders
- Playtime
- Rewards
- Reading programs
- Walking programs (for cats?)
- Work for a meal
- Just love

Elevation – Remember this?





Elevation

Light and light cycles

- Helps with monitoring
- Normal cycles of light and dark
- Daylight / Sunlight

and conversely Limits on stressors	

Dogs – Barking and otherwise

- Avoid exposure to dogs
 - "cats with high dog exposure had significantly higher urine cortisol...than cats with low dog exposure."
 - McCobb EC, Patronek GJ, Marder A, et al. Assessment of stress levels among cats in four animal shelters. *JAVMA* 2005;226:548-555.

Other Noise

- Barking
- Banging
- · Water spraying
- Music
- Equipment

Cage moves

- "[herpes] virus re-excretion [was stimulated] in over 50% of...cats by the 'stress' situation of a change in housing."
- Gaskell RM, Povey RC. Experimental induction of feline viral rhinotracheitis virus re- excretion in FVR-recovered cats. Vet Rec. 1977;100(7):128-133

Irregu	lar	care	giv	/ing
ح		ca. c	יים-	סייי

- Creates stress
- Missed expectations
- May cause increased exposure

What can you do now?

- Provide concealment
- Provide enrichment
- Train the dogs to keep quiet
- · Switch over to spot cleaning
- Improve efficiency and drop LOS to increase "space"
- Make a plan for housing improvements!

